

HEMA

ENDÜSTRİ A.Ş.

HİDROLİK DİŞLİ POMPALAR



0.5 P SERİSİ

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
0.5P.011.AB/CB	1,1	1,6	210	3500	3/8" 35 mm	3/8" 35 mm
0.5P.016.AB/CB	1,6	2,3	210	3500	3/8" 35 mm	3/8" 35 mm
0.5P.021.AB/CB	2,1	3,1	210	3500	3/8" 30 mm	3/8" 30 mm
0.5P.027.AB/CB	2,7	3,9	210	3500	1/2" 40 mm	3/8" 30 mm
0.5P.032.AB/CB	3,2	4,7	210	3500	1/2" 40 mm	3/8" 30 mm
0.5P.037.AB/CB	3,7	5,5	190	3500	1/2" 40 mm	3/8" 30 mm
0.5P.042.AB/CB	4,2	6,1	190	3000	1/2" 40 mm	3/8" 30 mm
0.5P.048.AB/CB	4,8	7	190	3000	1/2" 40 mm	3/8" 30 mm
0.5P.058.AB/CB	5,8	8,4	190	3000	1/2" 40 mm	3/8" 30 mm
0.5P.080.AB/CB	8	11,6	190	3000	1/2" 40 mm	3/8" 30 mm



0.5 P SERİSİ - POWER PACK POMPALARI

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
0.5P.011.CDR/CB	1,1	1,6	210	3500	3/8"	Ø 9 mm
0.5P.016.CDR/CB	1,6	2,3	210	3500	3/8"	Ø 9 mm
0.5P.021.CDR/CB	2,1	3,1	210	3500	3/8"	Ø 9 mm
0.5P.027.CDR/CB	2,7	3,9	210	3500	3/8"	Ø 9 mm
0.5P.032.CDR/CB	3,2	4,7	210	3500	3/8"	Ø 9 mm
0.5P.037.CDR/CB	3,7	5,5	190	3500	3/8"	Ø 9 mm
0.5P.042.CDR/CB	4,2	6,1	190	3000	3/8"	Ø 9 mm
0.5P.048.CDR/CB	4,8	7	190	3000	3/8"	Ø 9 mm
0.5P.058.CDR/CB	5,8	8,4	190	3000	3/8"	Ø 9 mm
0.5P.080.CDR/CB	8	11,6	190	3000	3/8"	Ø 9 mm



0 P SERİSİ

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
0P1 103 AB/CB	1,2	1,5	280	4000	3/8" 35 mm	3/8" 35 mm
0P1 106 AB/CB	2,2	2,9	280	4000	3/8" 35 mm	3/8" 35 mm
0P1 108 AB/CB	2,9	3,9	280	4000	3/8" 35 mm	3/8" 35 mm



1 PA SERİSİ

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
1PA A04 AB/CB	4	5,7	175	3500	3/8" 35 mm	3/8" 35 mm
1PA A06 AB/CB	6,1	8,7	175	3500	3/8" 35 mm	3/8" 35 mm
1PA A08 AB/CB	8,2	11,8	175	3500	3/8" 30 mm	3/8" 30 mm
1PA A09 AB/CB	9,5	13,6	175	3500	1/2" 40 mm	3/8" 30 mm
1PA A12 AB/CB	11,9	17,1	175	3500	1/2" 40 mm	3/8" 30 mm
1PA A15 AB/CB	14,6	20,1	175	3500	1/2" 40 mm	3/8" 30 mm
1PA A17 AB/CB	17	24,1	175	3500	1/2" 40 mm	3/8" 30 mm
1PA A19 AB/CB	19,2	27,3	175	3500	1/2" 40 mm	3/8" 30 mm
1PA A23 AB/CB	22,9	32,9	175	3000	1/2" 40 mm	3/8" 30 mm



1 PN SERİSİ

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
1PN 040 AB-CB	4	5,7	250	3000	3/8" 35 mm	3/8" 35 mm
1PN 039 AB-CB	4	5,7	250	3000	3/8" 35 mm	3/8" 35 mm
1PN 061 AB-CB	6,1	8,7	250	3000	3/8" 35 mm	3/8" 35 mm
1PN 060 AB-CB	6,1	8,7	250	3000	3/8" 35 mm	3/8" 35 mm
1PN 082 AB-CB	8,2	11,8	250	3000	3/8" 30 mm	3/8" 30 mm
1PN 095 AB-CB	9,5	13,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PN 119 AB-CB	11,9	17,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PN 140 AB-CB	14	20,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PN 146 AB-CB	14,6	21,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PN 168 AB-CB	16,8	24,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PN 192 AB-CB	19,2	27,2	250	3000	1/2" 40 mm	3/8" 30 mm
1PN 229 AB-CB	22,9	32,9	210	3000	1/2" 40 mm	3/8" 30 mm
1PN 281 AB-CB	28,1	40,4	175	3000	1/2" 40 mm	1/2" 40 mm



1 PH SERİSİ

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
1PH 082 AB-CB	8,2	11,8	250	3000	1/2" 40 mm	3/8" 30 mm
1PH 095 AB-CB	9,5	13,6	250	3000	1/2" 40 mm	3/8" 30 mm
1PH 119 AB-CB	11,9	17,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PH 140 AB-CB	14	20,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PH 168 AB-CB	16,8	24,1	250	3000	1/2" 40 mm	3/8" 30 mm
1PH 190 AB-CB	19	27,2	250	3000	1/2" 40 mm	3/8" 30 mm
1PH 229 AB-CB	22,9	32,9	210	2500	1/2" 40 mm	3/8" 30 mm
1PH 281 AB-CB	28,1	40,4	175	600	1/2" 40 mm	1/2" 40 mm



2 P1 SERİSİ

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
2P1 3105 AB-CB	33,3	47,7	250	2500	Paralel Mil 3/4"-48 mm	Paralel Mil
2P1 3120 AB-CB	37,8	54,5	210	2500		3/4"-48 mm
2P1 3135 AB-CB	42,6	64	210	2500		3/4"-48 mm
2P1 3146 AB-CB	45,4	66,5	210	2500	Konik Mil 3/4"-51 mm	Konik Mil
2P1 3158 AB-CB	49,4	71,8	210	2500		1/2"-40 mm
2P1 3180 AB-CB	56,1	81,5	175	2500		1/2"-40 mm



3 P1 SERİSİ

Kod	Deplasman (cm ³ /dev)	Debi - Lt (1500 dev/dk)	Max. Basınç (Bar)	Max. Devir (dev/dk)	Adaptör Ölçüsü	
					Giriş	Çıkış
3P1 4150 AB-CB	47	68,2	248	2250	SEA 30001 1/2"	SAE 3000 1"
3P1 4180 AB-CB	56,1	81,8	248	2250	SEA 30001 1/2"	SAE 3000 1"
3P1 4210 AB-CB	65,1	95,5	248	2250	SEA 30001 1/2"	SAE 3000 1"
3P1 4250 AB-CB	77	113,7	248	2250	SEA 30001 1/2"	SAE 3000 1"
3P1 4300 AB-CB	91,9	136,4	207	2250	SEA 30001 1/2"	SAE 3000 1"
3P1 4330 AB-CB	101,5	150	193	2250	SEA 30001 1/2"	SAE 3000 1" 1/4"
3P1 4380 AB-CB	116,7	173	172	2250	SEA 30001 1/2"	SAE 3000 1" 1/4"

